

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------|------------------|---------|------------------|
| S39 | 104 | (@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:43 |
| S40 | 64 | (@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power | US-PGPUB; USPAT | OR | ON | 2007/12/18 08:41 |
| S41 | 0 | (@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power and environmental\$3 with harden \$3 | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:43 |
| S42 | 4 | (@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power and outdoor | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:44 |
| S43 | 64 | (@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:44 |
| S44 | 21 | (@ad< "20011120" or @rlad< "20011120") and "333"/\$.ccls. and Ethernet and power with data | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:51 |
| S45 | 7332 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:52 |
| S46 | 501 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power) and gauge | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:52 |
| S47 | 27 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power) and gauge and UTP | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:52 |
| S48 | 17 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power) and gauge and UTP with pairs | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:52 |
| S49 | 203 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:53 |

| | | | | | | |
|-----|-----|---|--------------------|----|----|---------------------|
| S50 | 0 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (gel with sheathing)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:53 |
| S51 | 8 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (sheath\$3)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:54 |
| S52 | 21 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:54 |
| S53 | 0 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) and (suspension adj line)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:54 |
| S54 | 12 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) and (suspension)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:54 |
| S55 | 12 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) and (suspension)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:55 |
| S56 | 21 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:55 |
| S57 | 9 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power) and gauge and (UTP or twisted adj pairs) and (foil) not S55) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:56 |
| S58 | 721 | ((@ad<"20011120" or @rlad<"20011120") and Ethernet and (data with power with cable)) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:56 |

| | | | | | | |
|-----|----|---|-----------------|----|----|------------------|
| S59 | 82 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with (data with power with cable) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:56 |
| S60 | 18 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with (data with power with cable) and gauge | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:56 |
| S61 | 27 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with (data with power with cable) and twisted adj pair | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:56 |
| S62 | 27 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with (data with power with cable) and ((twisted adj pair) or UTP) | US-PGPUB; USPAT | OR | ON | 2007/06/14 08:57 |
| S63 | 13 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with cable and environment\$4 with harden \$2 | US-PGPUB; USPAT | OR | ON | 2007/06/14 09:08 |
| S64 | 2 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and environment\$4 with harden\$2 with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 09:09 |
| S65 | 66 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and outdoor with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 09:09 |
| S66 | 0 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with outdoor with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 09:09 |
| S67 | 17 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with outside with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:33 |
| S68 | 10 | (@ad< "20011120" or @rlad< "20011120") and (neighborhood adj area adj network) | US-PGPUB; USPAT | OR | ON | 2007/06/14 09:10 |
| S69 | 1 | (@ad< "20011120" or @rlad< "20011120") and (neighborhood adj area adj network) with ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 09:10 |
| S70 | 0 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with outdoor with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:52 |

| | | | | | | |
|-----|-------|---|--------------------|----|----|---------------------|
| S71 | 66 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and outdoor with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:53 |
| S72 | 19 | (@ad< "20011120" or @rlad< "20011120") and Ethernet same outdoor with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:55 |
| S73 | 9 | (@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:55 |
| S74 | 2 | (@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with cable and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:59 |
| S75 | 0 | (@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with wire and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:59 |
| S76 | 60915 | (@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with transmission line and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:57 |
| S77 | 0 | (@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with transmission adj line and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:59 |
| S78 | 2 | (@ad< "20011120" or @rlad< "20011120") and environmentally adj hardened with line and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:57 |
| S79 | 0 | (@ad< "20011120" or @rlad< "20011120") and hardened with transmission adj line and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:59 |
| S80 | 2 | (@ad< "20011120" or @rlad< "20011120") and hardened with wire and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 13:59 |
| S81 | 7 | (@ad< "20011120" or @rlad< "20011120") and hardened with cable and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:00 |
| S82 | 66 | (@ad< "20011120" or @rlad< "20011120") and outdoor with cable and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:00 |

| | | | | | | |
|-----|-----|--|-----------------|----|----|------------------|
| S83 | 19 | (@ad< "20011120" or @rlad< "20011120") and outdoor with cable same ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:01 |
| S84 | 4 | (@ad< "20011120" or @rlad< "20011120") and outdoor with cable.ti. | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:01 |
| S85 | 4 | (@ad< "20011120" or @rlad< "20011120") and hardened with cable.ti. | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:02 |
| S86 | 0 | (@ad< "20011120" or @rlad< "20011120") and hardened with twisted adj pair.ti. | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:02 |
| S87 | 0 | (@ad< "20011120" or @rlad< "20011120") and hardened with twisted adj pair.ab. | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:02 |
| S88 | 1 | (@ad< "20011120" or @rlad< "20011120") and hardened with twisted adj pair | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:02 |
| S89 | 85 | (@ad< "20011120" or @rlad< "20011120") and outdoor with ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:02 |
| S90 | 0 | (@ad< "20011120" or @rlad< "20011120") and outdoor adj ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:03 |
| S91 | 1 | (@ad< "20011120" or @rlad< "20011120") and outdoor near2 ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:03 |
| S92 | 468 | (@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:06 |
| S93 | 2 | (@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 with twisted adj pair | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:07 |
| S94 | 3 | (@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 same twisted adj pair | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:08 |
| S95 | 6 | (@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 and twisted adj pair | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:11 |
| S96 | 0 | (@ad< "20011120" or @rlad< "20011120") and gel with sheath\$3 and twisted adj pair.ab. | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:08 |
| S97 | 133 | (@ad< "20011120" or @rlad< "20011120") and foil with drain adj wire | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:11 |

| | | | | | | |
|------|------|--|-----------------|----|----|------------------|
| S98 | 11 | (@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:11 |
| S99 | 0 | (@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire and suspension adj line | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:12 |
| S100 | 0 | (@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire and suspension | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:12 |
| S101 | 11 | (@ad< "20011120" or @rlad< "20011120") and foil with sheath\$3 with drain adj wire | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:12 |
| S102 | 5200 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with cable | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:16 |
| S103 | 0 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with cable and suspension adj line | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:16 |
| S104 | 185 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with cable and suspension | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:16 |
| S105 | 0 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with cable same suspension | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:16 |
| S106 | 2 | (@ad< "20011120" or @rlad< "20011120") and Ethernet with cable and cable same suspension | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:20 |
| S107 | 44 | (@ad< "20011120" or @rlad< "20011120") and twisted adj pair same suspension | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:18 |
| S108 | 0 | (@ad< "20011120" or @rlad< "20011120") and twisted adj pair same suspension adj line | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:18 |
| S109 | 0 | (@ad< "20011120" or @rlad< "20011120") and twisted adj pair same suspension and ethernet | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:18 |
| S110 | 44 | (@ad< "20011120" or @rlad< "20011120") and twisted adj pair same suspension | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:18 |

| | | | | | | |
|------|------|--|--------------------|----|----|---------------------|
| S111 | 20 | (@ad< "20011120" or @rlad< "20011120") and twisted adj pair with suspension | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:18 |
| S112 | 1 | (@ad< "20011120" or @rlad< "20011120") and "4857670".pn. | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:22 |
| S113 | 1709 | (@ad< "20011120" or @rlad< "20011120") and hollow adj conduit | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:22 |
| S114 | 10 | (@ad< "20011120" or @rlad< "20011120") and hollow adj conduit with optical | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:25 |
| S115 | 34 | (@ad< "20011120" or @rlad< "20011120") and ethernet with rate with distance | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:26 |
| S116 | 1 | (@ad< "20011120" or @rlad< "20011120") and ethernet with rate with distance with increase | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:26 |
| S117 | 153 | (@ad< "20011120" or @rlad< "20011120") and ethernet and lower with rate with distance | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:27 |
| S118 | 20 | (@ad< "20011120" or @rlad< "20011120") and ethernet and lower near rate with distance | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:27 |
| S119 | 0 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and gold with pins with sockets | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:33 |
| S120 | 3 | (@ad< "20011120" or @rlad< "20011120") and Ethernet and gold with pins | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:34 |
| S121 | 48 | (@ad< "20011120" or @rlad< "20011120") and gold with plated with pins with sockets | US-PGPUB; USPAT | OR | ON | 2007/06/14 14:34 |
| S122 | 0 | (@ad< "20011120" or @rlad< "20011120") and gold with plated with pins with sockets and ethernet | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:26 |
| S123 | 1 | (@ad< "20011120" or @rlad< "20011120") and gold with plated with pins with sockets and LAN | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:16 |
| S124 | 672 | (@ad< "20011120" or @rlad< "20011120") and (wire with four with twisted near pair) | US-PGPUB; USPAT | OR | ON | 2007/12/18 08:41 |

| | | | | | | |
|------|-----|---|--------------------|----|----|---------------------|
| S125 | 36 | (@ad< "20011120" or @rlad< "20011120") and (wire with four with twisted near pair) and (sheath with pair) | US-PGPUB; USPAT | OR | ON | 2007/12/18 08:42 |
| S126 | 3 | (@ad< "20011120" or @rlad< "20011120") and (wire with four with twisted near pair) and (sheath with pair) and (wire with power) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:01 |
| S127 | 574 | (@ad< "20011120" or @rlad< "20011120") and (cable with ground with return) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:01 |
| S128 | 258 | (@ad< "20011120" or @rlad< "20011120") and (cable with ground near return) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:01 |
| S129 | 3 | (@ad< "20011120" or @rlad< "20011120") and (cable with ground near return with advantage) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:01 |
| S130 | 0 | (@ad< "20011120" or @rlad< "20011120") and (cable with ground near return with for) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:01 |
| S131 | 13 | (@ad< "20011120" or @rlad< "20011120") and (cable with ground near return with used) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:03 |
| S132 | 75 | (@ad< "20011120" or @rlad< "20011120") and (power with ground near return with used) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:03 |
| S133 | 7 | (@ad< "20011120" or @rlad< "20011120") and (power with ground near return with advantage) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:04 |
| S134 | 940 | (@ad< "20011120" or @rlad< "20011120") and (power with ground near return) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:04 |
| S135 | 81 | (@ad< "20011120" or @rlad< "20011120") and (power near ground near return) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:04 |
| S136 | 6 | (@ad< "20011120" or @rlad< "20011120") and (power near ground near return) and (cable or wire or transmission).ti. | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:07 |

| | | | | | | |
|------|-------|--|--------------------|----|----|---------------------|
| S137 | 6 | (@ad<"20011120" or @rlad<"20011120") and (power near ground near return) and (cable or wire or transmission).ti. | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:07 |
| S138 | 32 | (@ad<"20011120" or @rlad<"20011120") and (power near5 ground near return) and (cable or wire or transmission).ti. | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:07 |
| S139 | 26 | (@ad<"20011120" or @rlad<"20011120") and (power near5 ground near return) and (cable or wire or transmission).ti. not S137 | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:08 |
| S140 | 201 | (@ad<"20011120" or @rlad<"20011120") and (transient adj voltage adj protection) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:17 |
| S141 | 74 | (@ad<"20011120" or @rlad<"20011120") and (transient adj voltage adj protection) and (power with control) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:17 |
| S142 | 2 | (@ad<"20011120" or @rlad<"20011120") and (transient adj voltage adj protection with bus) and (power with control) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:17 |
| S143 | 46408 | (@ad<"20011120" or @rlad<"20011120") and (environmentally) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:26 |
| S144 | 51 | (@ad<"20011120" or @rlad<"20011120") and (environmentally adj hardened) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:26 |
| S145 | 10 | (@ad<"20011120" or @rlad<"20011120") and (environmentally adj hardened) with (cable or wire) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:28 |
| S146 | 0 | (@ad<"20011120" or @rlad<"20011120") and (environmentally adj hardened) with (cable or wire) and (moisture and interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:27 |
| S147 | 0 | (@ad<"20011120" or @rlad<"20011120") and (environmentally adj hardened) with (cable or wire) and (moisture) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:27 |

| | | | | | | |
|------|------|---|-----------------|----|----|------------------|
| S148 | 0 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) and (protect with moisture with emi) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:29 |
| S149 | 0 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) and (protect with moisture with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:29 |
| S150 | 0 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) and (protect \$3 with moisture with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:29 |
| S151 | 5 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) and (protect \$3 with moisture) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:29 |
| S152 | 3662 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) and (protect \$3 with weather) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:29 |
| S153 | 749 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) same (protect \$3 with weather) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:29 |
| S154 | 314 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) with (protect \$3 with weather) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:29 |
| S155 | 8 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) with (protect \$3 with weather with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:30 |
| S156 | 0 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) with (protect \$3 with weather) and (shield \$3 with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:31 |
| S157 | 0 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) with (protect \$3 with weather) and (shield \$3 with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:31 |
| S158 | 0 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) with (protect \$3 with weather) and (interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:31 |

| | | | | | | |
|------|-----|---|--------------------|----|----|---------------------|
| S159 | 50 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) with (protect \$3 with weather) and (interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:31 |
| S160 | 10 | (@ad<"20011120" or @rlad<"20011120") and (cable or wire) with (protect \$3 with weather) and (shield \$3 with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:32 |
| S161 | 69 | (@ad<"20011120" or @rlad<"20011120") and (protect\$3 with weather) and (shield\$3 with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:32 |
| S162 | 11 | (@ad<"20011120" or @rlad<"20011120") and (protect\$3 with weather) same (shield\$3 with interference) | US-PGPUB; USPAT | OR | ON | 2007/12/18 09:33 |
| S163 | 23 | (@ad<"20011120" or @rlad<"20011120") and connector with protective with gel | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:29 |
| S164 | 0 | (@ad<"20011120" or @rlad<"20011120") and connector with protective with gel with dielectric | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:30 |
| S165 | 35 | (@ad<"20011120" or @rlad<"20011120") and connector with gel with dielectric | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:30 |
| S166 | 495 | (@ad<"20011120" or @rlad<"20011120") and (strain adj cable) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:36 |
| S167 | 2 | (@ad<"20011120" or @rlad<"20011120") and (strain adj cable) with removable | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:36 |
| S168 | 0 | (@ad<"20011120" or @rlad<"20011120") and (strain adj cable) with detachable | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:37 |
| S169 | 495 | (@ad<"20011120" or @rlad<"20011120") and (strain adj cable) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:37 |
| S170 | 9 | (@ad<"20011120" or @rlad<"20011120") and (strain adj cable) with (remov \$3 or detach\$3) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:38 |

| | | | | | | |
|------|-------|---|--------------------|----|----|---------------------|
| S171 | 32 | ((@ad< "20011120" or @riad< "20011120") and (strain adj cable) with (remov\$3 or detach\$3 or attach\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:39 |
| S172 | 24 | ((@ad< "20011120" or @riad< "20011120") and (strain adj cable) with (attach\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:39 |
| S173 | 655 | ((@ad< "20011120" or @riad< "20011120") and (support adj cable) with (attach\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:40 |
| S174 | 24479 | ((@ad< "20011120" or @riad< "20011120") and (support\ adj cable) with (remov\$3 or detach\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:40 |
| S175 | 130 | ((@ad< "20011120" or @riad< "20011120") and (support adj cable) with (remov\$3 or detach\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:40 |
| S176 | 42 | ((@ad< "20011120" or @riad< "20011120") and (support adj cable) near3 (remov\$3 or detach\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:41 |
| S177 | 16 | ((@ad< "20011120" or @riad< "20011120") and (support adj cable) near3 (removable or detachable)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:41 |
| S178 | 3 | ((@ad< "20011120" or @riad< "20011120") and (suspension adj cable) near3 (removable or detachable)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:43 |
| S179 | 0 | ((@ad< "20011120" or @riad< "20011120") and (suspension adj cable) near3 (peel\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:44 |
| S180 | 0 | ((@ad< "20011120" or @riad< "20011120") and ((strain or support or suspension) adj cable) near3 (peel\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:44 |
| S181 | 1 | ((@ad< "20011120" or @riad< "20011120") and ((strain or support or suspension) adj line) near3 (peel\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:45 |
| S182 | 6 | ((@ad< "20011120" or @riad< "20011120") and ((strain or support or suspension) adj line) near3 (removable or detachable)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:45 |

| | | | | | | |
|------|--------|--|--------------------|----|----|---------------------|
| S183 | 6 | ((@ad< "20011120" or @rlad< "20011120") and ((strain or support or suspension) adj wire) near3 (removable or detachable) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:45 |
| S184 | 24 | ((@ad< "20011120" or @rlad< "20011120") and ((strain or support or suspension) adj wire) with (removable or detachable) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:47 |
| S185 | 5324 | ((@ad< "20011120" or @rlad< "20011120") and ((support) adj wire) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:49 |
| S186 | 3 | ((@ad< "20011120" or @rlad< "20011120") and ((support) adj wire) with (peel\$3)) | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:49 |
| S187 | 1 | "4857670".pn. | US-PGPUB; USPAT | OR | ON | 2008/05/28 10:50 |
| S188 | 1794 | ((@ad< "20011120" or @rlad< "20011120") and (unshielded with twisted with pair) | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:12 |
| S189 | 1706 | ((@ad< "20011120" or @rlad< "20011120") and (unshielded near2 twisted near2 pair) | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:13 |
| S190 | 8009 | ((@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:13 |
| S191 | 1215 | ((@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) with cable | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:13 |
| S192 | 44 | ((@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) with cable same power with wire | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:13 |
| S193 | 206420 | ((@ad< "20011120" or @rlad< "20011120") and (category with "5" with "UTP" "telephone")) | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:15 |
| S195 | 363 | ((@ad< "20011120" or @rlad< "20011120") and ((unshielded near2 twisted near2 pair) or UTP) with four | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:18 |

| | | | | | | |
|------|-------|---|---|----|----|---------------------|
| S196 | 1 | (@ad<"20011120" or @rlad<"20011120") and ((unshielded near2 twisted near2 pair) or UTP) with four with power | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:18 |
| S197 | 18188 | (@ad<"20011120" or @rlad<"20011120") and (cable).ti. | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:18 |
| S198 | 144 | (@ad<"20011120" or @rlad<"20011120") and (cable).ti. and (UTP or unshielded adj twisted adj pair) | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:19 |
| S199 | 0 | (@ad<"20011120" or @rlad<"20011120") and (cable).ti. and (UTP or unshielded adj twisted adj pair) same power with insulated | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:19 |
| S200 | 10 | (@ad<"20011120" or @rlad<"20011120") and (cable).ti. and (UTP or unshielded adj twisted adj pair) same power | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:19 |
| S201 | 0 | WO-200070626-\$.did. | US-PGPUB; USPAT | OR | ON | 2008/05/28 11:31 |
| S202 | 0 | WO-200070626-\$.did. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:31 |
| S203 | 1 | 2000WO-JP03045.ap.prai. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/05/28 11:33 |
| S204 | 1 | 2000WO-JP03045.ap.prai. | DERWENT | OR | ON | 2008/05/28 11:34 |

5/ 28/ 08 1:55:12 PM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\09988467.wsp